

REMARKS

The term "10 m" in line 5 of the abstract has been changed to --10 nm-- by amendment herein. This amendment does not represent the entry of new matter into the application. Applicants respectfully request entry of this amendment.

Respectfully submitted,

HOLGER EGGERS
ANDREAS GASSE
RUDI KLEIN

By James R. Franks
James R. Franks
Agent for Applicants
Reg. No. 42,552

Bayer Corporation
100 Bayer Road
Pittsburgh, Pennsylvania 15205-9741
(412) 777-2905
FACSIMILE PHONE NUMBER:
(412) 777-5449

/jme/JRF0041

VERSIONS WITH MARKINGS TO SHOW CHANGES MADE

IN THE ABSTRACT: (Marked-Up)

The following is a version of the Abstract of the Disclosure with markings to show changes made thereto relative to the original version of the Abstract of the Disclosure.

Described is a thermoformable film comprising at least one layer (I) of polyamide containing solid anisotropic fillers (A) and individual spherulites. The anisotropic fillers (A) of the layer (I) of the thermoformable film, in a number-weighted average of all the dispersed constituents of the anisotropic fillers (A), have a dimension of no more than 10 nm in at least one first direction (r1) freely selectable for each dispersed constituent and, in at least one second direction (r2) perpendicular to the first direction (r1), have a dimension of at least 50 times the dimension in the first direction (r1). The individual spherulites in the layer (I) have a number-average distance from each other of no more than 50 nm, and the cores of a majority of the individual spherulites in the layer (I) are free of a filler particle of the anisotropic fillers (A). Also described is a method of preparing the thermoformable films of the present invention, and methods of using the films for, for example, packaging foodstuffs.